LAKE: LONG P (VLMP 31)

TOWN: PARSONSFIELD

WHOLE LAKE INFORMATION

DELORME ATLAS #: 04

MAX. DEPTH: 10 m. (33 ft.)

MEAN DEPTH: 5 m. (18 ft.)

COUNTY: YORK

MIDAS: 9701
TRUE BASIN: 1
SAMPLE STATION:

1

TRUE BASIN CHARACTERISTICS

SURFACE AREA: 105.0 ha. (259.5 a.)

FLUSHING RATE: 0.40 flushes/yr.

VOLUME: 6209591.5 cu. m. (5037 ac.-ft.)


DIRECT DRAINAGE AREA: 3.33 sq. km. (1.29 sq. mi.)


USGS QUAD: CORNISH
IFW REGION A: Sebago Lake (Gray)

IFW FISH. MANAGMENT: Warmwater & Coldwater

PLEASE NOTE THE FOLLOWING: The SAMPLE STATION # refers to the location sampled. The term TRUE BASIN is used to define areas within a lake that are separated by shallow reefs or shoals and therefore function as separate lakes. There are approximately 50 lakes in the state that have more than 1 True Basin. True Basin Characteristics are now being included in the first section of these reports to enable users of the Phosphorous Loading Methodology to better evaluate the data. If there is no data for a particular True Basin, True Basin Characteristics must be obtained from the DEP. LONG P has 1 True Basin(s).

SECCHI DISK TRANSPARENCY GRAPHS:





Note: 2010 graphs may indicate multiple readings taken on a given day.

SUMMARY OF CHEMICAL AND TROPHIC STATE PARAMETERS:

[* indicates that Secchi disk was visable at bottom of lake (or one reading used in calculation was visable)].

	MEAN	MEAN	MEAN	MEAN															
	COLOR	pН	ALK	COND.	TOTAL	PHOS.	MEANS	(ppb)	SECCH	I DISK	(m.)		CHLORO	PHYLL	A(ppb)	TROP	HIC ST	ATE IN	DICES
	(SPU)		(mg/l)	(us	EPI	SURF	BOT.	PRO.								EPI	PHOS		
YEAR				/cm)	CORE	GRAB	GRAB	GRAB	MIN.	MEAN	MAX.	N	MIN.	MEAN	MAX.	<u>C</u>	<u>G</u>	SEC	CHL
1983	13	7.10	9.0	-	10		-	-	4.3	6.7	8.8	6	5.6	5.6	5.6	-	-	34	-
1984	-		-	_	_	-	-	-	5.5	6.4	7.3	5	-	-	-	-	-	36	
1985	-	-	-	-	_	-	_	-	3.7	6.9	8.8	5	-	-	-		-	32	-
1986	11	6.90	9.0	26	7	-	=	-	4.5	6.2	7.6	6	-	-	-	-	-	37	-
1987	-	-	-	-	-	-	-	-	3.0	6.0	7.6	6	-	_	-	-	-	39	-
1988	-	1]	-	-	-	-	-	-	4.1	6.7	7.9	5	-	-	-	-	-	34	-
1989	-		_	-	-	-	-	-	6.1	7.4	8.1	4	-	-	-	-	-	-	-
1990			-	-	-	-	-	-	6.7	7.3	8.8	5	-	-	- ·	-	-	30	-
1991	5	7.29	19.0	32	11	-	-	-	4.1	6.9	8.2	5	-	-	-	-		32	777
1992	-	7.7	-	-	-	-	_	-	6.5	7.2	7.9	5	-	-	-	-	-	30	-
1993	-	-	-	-	-	-	-	-	5.5	7.0	8.0	4	-	_	-	-	-	-01	-
1994	-	-	-	-	-	-	=	-	4.5	5.8	6.5	3	-	-	-	-	-	-	-
1995	-		-	-	-	-	100	-	5.2	6.2	7.6	2	-	-	-	-	-	-	-
1996	-	-	-	1-1	-			-	5.8	6.4	7.0	3	-	-	. 	==	-	-	-
1997	-	0.00		7-0		-	-	-	2.9	6.6	9.3	5			-	-	-	34	-

LAKE: LONG P (VLMP 31)

TOWN: PARSONSFIELD

COUNTY: YORK

MIDAS: 9701 *TRUE BASIN: 1

*SAMPLE STATION: 1

SUMMARY OF CHEMICAL AND TROPHIC STATE PARAMETERS: 350 kg = 4.0

	MEAN	MEAN	MEAN	MEAN											E 27 12020	-		* MT T **	DIGEG
	COLOR	рН	ALK	COND.	TOTAL	PHOS.	MEANS (ppb)	SECCH	I DISK	(m.)		CHLORO	PHYLL	A(ppb)			ATE IN	DICES
	(SPU)	-	(mg/l)	(us	EPI	SURF	BOT.	PRO.									PHOS		
YEAR	(220)			/cm)	CORE	GRAB	GRAB	GRAB	MIN.	MEAN	MAX.	N_	MIN.	MEAN	MAX.	<u>C</u>	G	SEC	CHL
1998		1-17	_	_	-	-	-	-	6.2	7.2	7.8	3	-	-	-	-	-	-	_
1999	3	_	8.1	41	- 8	_	12	-	6.1	7.1	8.6	4	2.4	4.5	6.6	-	=	-	-
2000	_	_	-	-	-	-	-	-	6.8	7.5	8.1	3	-	-	-	-	-	-	-
2001	12	7.11	_	-	7	-	17	-	6.4	7.4	8.2	3	2.8	2.8	2.8	-	-	-	***
2002	_	_	_	_	_		-	-	7.4	7.8	8.0	3	-	-	-	_	_	_	-
2002	20	7200	_	-	-	_	-	-	6.4	7.1	7.7	4	-	-	1-	-	-	-	-
	- 6	7.24		43	- 7	_	26	-	5.2	7.6	8.4	4	2.8	2.9	2.9	-	-	-	-
2004			10.4	_		_	-	_	6.2	6.7	7.1	3	-	-	-	-	-	-	-
2005		-	-				192	_	5.4	6.4	7.3	3	-	_	-	-	-	-	-
2006	-	-	-	-	-	-							2.5	2.5	2.5	_	-	_	_
2007	9	7.30	7.3	39	8	-	32	-	6.5	7.3	8.0		2.5	2.3	2.5				
2009	-	_	_		-	-	-	-	5.7	6.8	7.6	3	-	-	-	-	-	_	-
2010	_	_	_		1-	-	m2	-	3.7	6.1	7.3	3	$(-1)^{n}$	-	_	-	_	_	-
SUMMARY:	8	7.13	10.5	36	8	-	22	-	2.9	6.8	9.3	27	2.4	3.7	6.6	-	-	34	-

LATE SUMMER TEMPERATURE / DISSOLVED OXYGEN PROFILES:

						S	AMPLE	DATE						
DEPTH		09/10/86		09/04/91		08/25/99		08/27/01		08/16/04		08/16/07		
	m	°C_	ppm	_°C_	mqq	°C_	ppm	°C_	ppm	_°C_	_ppm	°C_	ppm	
	0.0	19.9	9.3	22.0	9.0	24.3	9.0	24.2	9.1	23.5	8.3	24.2	9.2	
	1.0	19.5	9.2	22.0	8.8	23.5	9.1	24.1	9.1	23.5	8.3	24.1	9.2	
	2.0	19.5	9.2	22.0	8.9	23.3	9.1	24.0	9.1	23.5	8.4	24.1	9.3	
	3.0	19.5	9.2	21.9	8.9	23.1	9.1	23.9	9.2	23.5	8.3	24.0	9.3	
	4.0	19.5	9.2	21.9	8.8	23.0	9.1	23.9	9.2	23.5	8.3	24.0	9.2	NO TO A THROUGH THE PERSON OF
4	5.0	19.2	9.1	21.8	8.8	22.9	9.1	23.8	9.1	23.5	8.3	23.9		
	6.0	19.2	9.1	21.7	8.8	22.6	9.1	23.7	9.1	23.3	8.3	21.7	12.0	
	7.0	19.1		21.6	8.6	21.9	8.3	19.8	11.9	21.7	10.2	17.6	11.7	
	8.0			20.9	5.1	18.9	4.3	16.4	6.3	18.1	10.6	14.3	7.2	
	9.0			18.3	0.4	16.9	0.8	13.9	0.6	15.9	2.0	12.4	1.3	
	10.0	-	_	17.2		-	_	-	-	14.6	0.6	11.9	0.5	

WATER QUALITY SUMMARY

LONG POND, Parsonsfield

Midas: 9701, Basin: 1

The Maine Department of Environmental Protection (ME-DEP) and the Volunteer Lake Monitoring Program (VLMP) have collaborated in the collection of lake data to evaluate water quality, track algae blooms, and determine water quality trends. This dataset does not include bacteria, mercury, or nutrients other than phosphorus.

Water quality monitoring datasets for Long Pond have been collected since 1983. During this period, 6 years of basic chemical information was collected in addition to Secchi Disk Transparencies (SDT). In summary, the water quality of Long Pond is considered to be above average, based on measures of SDT, total phosphorus (TP), and Chlorophylla (Chla). The potential for nuisance algae blooms on Long Pond is low.

Water Quality Measures: Long Pond is a non-colored lake (average color 8 SPU) with an average SDT of 6.9m (22.6ft). The range of water column TP for Long Pond is 7 to 11 parts per billion (ppb) with an average of 8 ppb, while Chla ranges from 2.4 to 6.6 ppb with an average of 3.9 ppb. Recent dissolved oxygen (DO) profiles show moderate DO depletion in deep areas of the lake. The potential for TP to leave the bottom sediments and become available to algae in the water column (internal loading) is low to moderate.

Long Pond (Parsonsfield) is managed by Maine Department of Inland Fisheries and Wildlife as a mixed warm-cold-water fishery. Oxygen levels below 5 parts per million stress certain cold water fish, and a persistent loss of oxygen may eliminate or reduce habitat for sensitive cold water species.

In fall of 2006, Long Pond became quite green during and after fall turnover. No SDT was available to document whether bloom conditions were meant, but the pond certainly had an uncharacteristic green color. Data collected the next few years will be closely watched to see if a trend is developing or if this was a one time event.

See ME-DEP Explanation of Lake Water Quality Monitoring Report for measured variable explanations. Additional lake information can be found on the Internet at http://www.lakesofmaine.org/ and/or http://www.maine.gov/dep/blwq/lake.htm, or telephone the ME-DEP at 207-287-3901 or the VLMP at 207-783-7733.

Filename: long9701, Revised: 03/07, By: dbh updated by jp